

TO ALL TO WHOM THESE: PRESENTS SHALL COME:

## Pioneer Hi-Bred International, Inc.

Withereas, there has been presented to the

#### Secretary of Agriculture

an application requesting a certificate of protection for an alleged novel variety of sexually reproduced plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the Plant Variety Protection Office, in the applicant(s) indicated in the said copy, and WHEREAS, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, r importing it, or exporting it, or using it in producing a hybrid or different itety therefrom, to the extent provided by the Plant Variety Protection Act at. 1542, as amended, 7 u.s.c. 2321 et seq.)

CORN

'PHV78'

In Esstimony Winercot, I have hereunto set my hand and caused the seal of the Plant Taxisty Protection Office to be affixed at the City of Washington, D. C. this 31st day of May in the year of our Lord one thousand nine

hundred and eighty-eight.

Secretary of Agriculture

Secretary of Agricultus

A. .

General A. Evans

Plant Variety Protection Office Agricultural Marketing Service

U.S. DEPARTMENT		FORM APPROVED: OMB NO. 0581-0055 Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is		
APPLICATION FOR PLANT VAR	if a p			
	is on reverse)	CHON CENTIFICATE		confidential until certificate is issued S.C. 2426).
1. NAME OF APPLICANT(S) Pioneer Hi-Bred Internationa	2. TEMPORARY DESIGNATION	3. V	PHV78	
4. ADDRESS (Street and No. or R.F.D. No., City, Sta Plant Breeding Division Department of Corn Breeding		PVPC	FOR OFFICIAL USE ONLY NUMBER	
	131-0085	515/270-3300		8800003
Zea mays	ea mays  7. FAMILY NA Graminea		FILING	October 1, 1987 TIME 1:30 DAM. WP.M.
8. KIND NAME	9	. DATE OF DETERMINATION	+	AMOUNT FOR FILING
Corn		1985	RECEIVED	DATE October 1, 1987
10. IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.)  Corporation	DN," GIVE FORM	OF ORGANIZATION (Corporation	FEESRE	\$ 250 00 Date Opril 11 1988
11. IF INCORPORATED, GIVE STATE OF INCORP	ORATION			DATE OF INCORPORATION May 6, 1926
Plant Breeding Division PO Box 85, Johnston, IA 50  14. CHECK APPROPRIATE BOX FOR EACH ATTA a.  Exhibit A, Origin and Breeding History of Exhibit B, Novelty Statement. c.  Exhibit C, Objective Description of Varied. d.  Exhibit D, Additional Description of Varied. Exhibit E, Statement of the Basis of App  15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pr	of the Variety (Se ety (Request formation), dicant's Ownersh ED OF THIS VAF	e Section 52 of the Plant Variety Pi n from Plant Variety Protection Off ip.	rotectio	n Act.) Y AS A CLASS OF CERTIFIED
16. DOES THE APPLICANT(S) SPECIFY THAT THE LIMITED AS TO NUMBER OF GENERATIONS		17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH	CLASSES OF PRODUCTION
Yes No  18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECT	Foundation FION OF THE VARIETY IN THE		Yes (If "Yes," give date)
				X No
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALE	, OR MARKETED IN THE U.S. O	к отн	Yes (If "Yes," give name. of countries and dates)
20. The applicant(s) declare(s) that a viable sam	nle of basic see	ds of this variety will be furnishe	d with	the application and will be re-
plenished upon request in accordance with some the undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in Some variety Protection Act.  Applicant(s) is (are) informed that false represents	such regulations ner(s) of this se Section 41, and	s as may be applicable.  Exually reproduced novel plant vision is entitled to protection under the	ariety, he prov	and believe(s) that the variety is risions of Section 42 of the Plant
signature of applicant Pioneer Hi-Bred Internationa		and Jeoparaise Protection and		PATE
by: Richard & Melonn				9/25/87
SIGNATURE OF APPLICANT				DATE 7

CORN

PHV78

14A. Exhibit A. Origin and Breeding History

Pedigree: G42/595)X1112X

Pioneer line PHV78, Zea mays L., a yellow dent corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross G42 x 595 using the pedigree method of breeding. The progenitors of PHV78 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above F1 cross for six generations in the development of PHV78 at Shelbyville, Illinois. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Shelbyville, Illinois, and at other Pioneer research stations in the mid to late maturity areas of the U.S. Corn Belt. After initial testing additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHV78 has shown uniformity and stability for all traits as described in Exhibit C (form LPGS-470-28) - "Objective Description of Variety." It has been self-pollinated and ear-rowed a sufficient number of generations with careful attention paid to uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHV78.

#### 14B. Exhibit B. Novelty Statement

PHV78 is most similar to the Pioneer inbred line G35 (PVP Certificate #8300140). PHV78 is taller, higher earred, and later in maturity than G35.

	GDU-Shed	GDU-Silk	Plant Height (in.)	Ear Height (in.)
PHV78	1549	1617	92.6	35.4
PHG35	1541	1582	77.6	32.2
Reps	117	101	45	45
Diff.	8	34	15.0	3.2
Prob.	.227	.000#	.000#	.001#

Data are from three years (1985-87).

# = 1%, + = 5%, \* = 10% significance

14B. Exhibit B. Novelty Statement (continued)

### Electrophoresis Isozyme Profiles

- Alleles Present in Inbreds -

Locus	<u>R151</u>	PHG35	PHV78	PHG42+	PH595+
Acp1	2	4	2	2	4
Adh1	6	4	4	4	4
Cat3	9	9	9	9	9
Got1	4	4	4	4	4
Got2	4	4	4	4	4
Got3	4	4	4	4	4
Idh1	4	4	4	4	4
Idh2	4	6	6	6	4
Mdh1	6	6	1	1	6
Mdh2	3.5	6	3.5	3.5	6
Mdh3	16	16	16	16	16
Mdh4	12	12	12	12	12
Mdh5	12	12	12	12	12
Pgm1	9	9	9	9	9
Pgm2	4	3	3	4	3
Pgd1	3.8	3.8	3.8	3.8	3.8
Pgd2	5	5	5	5	5
Phi1	5	4	4	4	4

<sup>+ =</sup> parents of PHV78

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C (Corn)

# OBJECTIVE DESCRIPTION OF VARIETY CORN (ZEA MAYS)

NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
Pioneer Hi-Bred International, Inc.	P VPO NUMBER ROOM 3
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) Plant Breeding Division Department of Corn Breeding	VARIETY NAME OR TEMPORARY
PO Box 85	D E SI G N A T I O N
Johnston, IA 50131-0085	РНV78
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e.g. 0 8 9 or 0 9 ) when number is either 99 or less of	boxes below. 9 or less.
1. TYPE:	
2 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = F	OP 6 = ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:  1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST	4 - 001/11/5407
5 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 = SOUTHEAST
	comments" (pg. 3) state how
	ts were calculated)
	1 0 HEAT UNITS
DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE	HEAT UNITS
4. PLANT:	
2 6 5 CM. HEIGHT (To tassel tip)	9 5 CM. EAR HEIGHT (To base of top ear)
0 7 CM. LENGTH OF TOP EAR INTERNODE	
Number of Tillers: Number of Ears Per Stalk	:
1 = NONE $2 = 1 - 2$ $3 = 2 - 3$ $4 = 3$ 1 1 = SINGLE 2	= SLIGHT TWO-EAR TENDENCY
1 = NONE $2 = 1 - 2$ $3 = 2 - 3$ $4 = 3$ 1 1 = SINGLE 2	
1 = NONE $2 = 1-2$ $3 = 2-3$ $4 = > 3$ 1 = SINGLE 2 3 = STRONG TWO	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY 4 = THREE-EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY 4 = THREE-EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY 4 = THREE-EAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY 4 = THREE-EAR TENDENCY (Specify)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:  1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT	= SLIGHT TWO-EAR TENDENCY DEAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:	= SLIGHT TWO-EAR TENDENCY DEAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:  1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY  Marginal Waves: Longitudinal Creases:	= SLIGHT TWO-EAR TENDENCY DEAR TENDENCY
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:  1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY  Marginal Waves: Longitudinal Creases:  1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSEN	= SLIGHT TWO-EAR TENDENCY DEAR TENDENCY 4 = THREE-EAR TENDENCY  (Specify)  EEN (B14) 4 = VERY DARK GREEN (K166)  (W22) 2 = MEDIUM (WF9)  (OH26)  T (OH51) 2 = FEW (OH56A)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:  1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY  Marginal Waves: Longitudinal Creases:	= SLIGHT TWO-EAR TENDENCY DEAR TENDENCY 4 = THREE-EAR TENDENCY  (Specify)  EEN (B14) 4 = VERY DARK GREEN (K166)  (W22) 2 = MEDIUM (WF9)  (OH26)  T (OH51) 2 = FEW (OH56A)
1 1 = NONE 2 = 1-2 3 = 2-3 4 = > 3 1 1 = SINGLE 2 3 = STRONG TWO  Cytoplasm Type:  1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER  5. LEAF (Field Corn Inbred Examples Given):  Color:  3 1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GR  Angle from Stalk (Upper half): Sheath Pubscence:  1 1 = < 30° 2 = 30-60° 3 = > 60° 1 1 = LIGHT 3 = HEAVY  Marginal Waves: Longitudinal Creases:  1 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSEN 3 = MANY  Width: Length:	= SLIGHT TWO-EAR TENDENCY D-EAR TENDENCY

<u> 18 annia - Novik Derman, anti-maria de la Santa de l</u>		100
6. TASSEL:	tion of the second the first of the conservation of the second of the se	
0 8 NUMBER OF LATERAL PRANCHES		
NOWIDER OF EATERAL BRANCHES		
Branch Angle from Central Spike:		
	Penduncie Length:	
1 = < 30° 2 = 30-40° 3 = > 45°	2 2 CM. FROM TOP LEAF TO BASAL BRANCHES	
	the state of the s	
Pollen Shed:		
3 1 = LIGHT (WF9) 2 = MEDIUM	3 = HEAVY(KY21)	
1 = LIGHT (WF9) 2 = MEDIUM	3- HEAVTIN 121)	
3 Anther Color: 1 = YELLOW 2 = P	PINK 3 = RED 4 = PURPLE 5 = GREEN	
Glume Color: 6 = OTHER (Specify)		
٧.	en de la companya de	
Pollen Restoration for Cytoplasms (o = Not Tested, 1 = Partial, 2 =	= Good)	
0 "T" 0 "S" 0 "C" 0	OTHER (Specify Cytoplasm and degrees of restoration)	
	· · · · · · · · · · · · · · · · · · ·	
7. EAR (Husked Ear Data Except When Stated Otherwise):	•	:
1 7 CM LENGTH / 7 MM, MID-POINT	1 2 0 GM, WEIGHT	
LIL/J DIAMETER	I Z O GM. WEIGHT	
Kernel Rows:		
2 1- INDICTING	1 6 NUMBER	
1 = INDISTINCT 2 = DISTINCT		
1 = STRAIGHT 2 = SLIGHTLY CURVED	3= SPIRAL	٠.
Silk Color (Exposed at Silking Stage):		
Observed deep purplish red 1 = GREEN 2 = PINK 3 = SALM	MON 4 = RED	
La contract of some		
Husk Color:		
2 FRESH 1 = LIGHT GREEN	2 = DARK GREEN 3 = PINK	
6 DRY 4 = RED 5 =	PURPLE 6 = BUFF	
Observed very pale yellow		
Husk Extention: (Harvest Stage)	Husk Leaf:	
3 = SHORT (Ears Exposed) 2 = MEDIUM (Barely Covering E 3 = LONG (8-10CM Beyond Ear Tip)	1 = SHORT ( < 8 CM) 2 = MEDIUM (8-15 CM) 3 = LONG ( > 15 CM)	
4 = VERY LONG (> 10 CM)	<del></del>	
Shank:	Position at Dry Husk Stage:	
1 2 cm Long 7 NO. OF INTERNODES	1 1 = UPRIGHT 2 = HORIZONTAL 3 = PENDENT	-
NO. OF INTERNODES	[ ] 1 - OFRIGHT 2 - HONIZONTAL 3 - FENDENT	j
Taper:	Drying Time (Unhusked Ear):	
2		
1 = SLIGHT 2 = AVERAGE 3 = EXTREME	1 = SLOW 2 = AVERAGE 3 = FAST	
8. KERNEL (Dried):		
Size (From Ear Mid-Point):		
1 0 MM LONG 0 9 MM. WIDE	0 4 AM THICK	
Shape Grade (% Rounds)	MM. THICK	
		,
1 $1 = < 20$ $2 = 20-40$ $3 = 40-60$	0 4 = 60-80 5 = > 80	

FORM LPGS-470-28 (3-79)

. ugo 2 0 . u

8.	KERNEL	(Dried) :							
ſ	1	Pericarp Color:	1 = COLOR	I ESS	2 = RFD-	WHITE CROWN	3 = TAN	4 = BRONZE	
L		, chical p color.	5 = BROWN		6 = LIGH		7 = CHER		
[	1	Aleurone Color:	1 = HOMO2	zygous	2 = SE	EGREGATING (Des	scribe)		
ſ	Obs	served strong	orange 2=PIN	_	3 = TAN	4 = 8RC	own	5 = BRONZE	6 = RED
-		7 = PURPLE	8 = PAL	E PURPLE	9 = V	ARIEGATED (Des	cribe)		
{	3 Obs	served strong Endosperm Color:	g orange 1=WH	-yellow ITE 2=F	ALE YELLO	W 3 = YELLO	W 4 = PINI	C-ORANGE 5 = WH	HITE CAP.
	Endospen	т Туре:							
ſ	3	1 = SWEET (su1)			VEET (sh2)		ALSTARCH	4 = HIGH AMYLOSES 8 = OTHER (Specify)	TARCH
	I	5 = WAXY STARC	н 6	= HIGH PRO	TEIN	7 = HIGH L	YSINE		
	3 0	GM. WEIGHT /100	SEEDS (Un	sized Sample)					
9.	COB:						·····		
Γ	2 0	MM. DIAMETER A	T MID-POIN	NT					
_	Strength:	•				Color: Observe	d very dark	grayish reddis	h brown
ſ		1 = WEAK	2 = STRON	IG		1 = WHITE		3 = RED 4 = BROWN	
Į	2			* ,		5 = VARIE	GATED	6 OTHER (Specify)	
10.	DISEAS	E RESISTANCE (O	Not Tested	, 1 = Susceptil	ole, 2 = Resista	int):			
	0	STALK ROT (Dipl	odia)	0	STALK BO	T (Fusarium)	0	STALK ROT (Gibber	·ella)
	同	NORTHERN LEAF		1	ĺ	LEAF BLIGHT	Ī	SMUT (Common)	,
		SOUTHERN RUST		2	, I	т (Head)	0	BACTERIAL WILT(	Stewart's)
	님	BACTERIAL LEA		<u> </u>	} 1	ARF MOSAIC		STUNT	,
			oss')		WAIZE DW	ARF WOSAIC		] 310111	
		OTHER (Specify)							
11.	INSECT	RESISTANCT (O =	Not Tested,	1 = Susceptibl	e, 2 = Resistan	t):			
	1	CORNBORER	[	0 EARWO	) PRM	0	SAPBEET <b>L</b> E	0 APH	IID
1.9	0	ROOTWORM (Nor	thern)	1 вооти	ORM (Wester	n)			
	0	ROOTWORM (Sou	thern)	OTHER	(Specify)				
12.	VARIET	IES MOST CLOSEL	Y RESEMBL	ING THAT S	UBMITTED F	OR THE CHARACT	TERS GIVEN:		
<u></u>	CHARAC	CTER		VAR	IETY	CHAR	ACTER	VARIETY	
	Maturity			G35		Kernel	Туре	595	
	Plant Ty	эе		G35	<u> </u>	Qualit	y (Edible)		
·	Ear Type			595	)	Usage		G35	
	REFERE								
	U.S. Department Agriculture, Yearbook 1937.								
	Corn: Culture, Processing, Products. 1970 Avi Publishing Company, Westport, Connecticut. (Numerous (Authors)  Emerson, R.A., G.W. Beadle, and A.C. Fraser. A Summary of Linkage Studies in Maize.Cornell A.E.S., Mem. 180. 1935.								
	The Mutants of Maize. 1968. Crop Science Society of America. Madison, Wisconsin.								
	Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S. Bul. 831. 1959.								
		Butler, D.R. 1954	– A System	for the Classif	ication of Corr	Inbred Lines — Ph	D. Thesis, Ohio Sta	ate University.	
	COMMENTS: Heat Units are accumulated from daily temperatures as follows:  HI = Maximum air temperature in Fahrenheit, but not greater than 86.  LO = Minimum air temperature in Fahrenheit, but not less than 50.  Heat Units = (HI + LO)/2 - 50, but not less than 0.								

FORM LPGS-470-28 (3-79)

Page 3 of 3

14D.

Exhibit D.

Diff.			No. of Reps.	
	G35	PHV78	37	Inbred
10	70	80		Yield
12	101	113		Percent Yield
ω	100	97		Moisture
30	1550	1580		GDU Shed
9	92	101		Stalk Lodging
<b>∞</b>	102	94		Root Lodging
12	102	114		Barren Plants
11	99	110		Stay Green
ω	100	97		Test Weight
₽	102	101		Grain Quality
				Cob Scores
0	95	95		Seedling Vigor
12	93	115		Plant Height
13	101	114		Ear Height
40	1580	1620		GDU Silk

degree units. Inbred per se comparison of PHV78 and G35 at the same locations. All values are expressed as percent of the test mean except yield, which is expressed as bushels/acre adjusted to 15.5% moisture, and GDU shed and silk, which are expressed in actual growing

			•
			Exhibit D.
	yield, which is expressed as bushels/acre adjusted to 15.5% gr	at the same locations. All values are expressed as percent of	Exhibit D. Comparison of PHV78 and G35 crossed to the same tester line and
	grain moisture	of the test mean except	and the hybrids evaluate
•	(1986 de	except	evaluate

Diff.			No. of Reps.	
	G35	PHV78		Inbred
13	145	158	98	Yield
9	98	107	98	Percent Yield
ω	99	102	98	Moisture
H	100	101	20	GDU Shed
0	98	98	82	Stalk Lodging
И	100	95	66	Root Lodging
<b>-</b>	101	100	38	Barren Plants
6	108	102	80	Stay Green
2	100	98	96	Test Weight
1	ı	ı	1	Grain Quality
11	114	103	2	Cob Scores
Ui	105	100	56	Seedling Vigor
ω	100	103	72	Plant Height
4	99	103	72	Ear Height

14D. Exhibit D. Additional Description of PHV78

PHV78 is a yellow dent inbred line of corn, Zea mays L.

As an inbred per se, PHV78 is most similar to the Pioneer proprietary inbred lines G35 and 595. The similarities to 595 are expected because half of the parentage of PHV78 is 595. The other parent involved in the development of PHV78 is a proprietary Pioneer inbred line developed under drought stress at York, Nebraska.

For comparative purposes, data are attached with comparisons of PHV78 per se and in hybrid combinations with the Pioneer proprietary inbred line G35.

14E. Exhibit E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHV78. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHV78.